# SAFETY DATA SHEET

#### S20

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

Product number

1.2. Relevant identified uses of the substance or mixture and uses advised against

S20

J002

Identified uses

Oven and Grill Cleaner Drain cleaner

### 1.3. Details of the supplier of the safety data sheet

Supplier

SELDEN RESEARCH LIMITED STADEN LANE BUXTON DERBYSHIRE

SK17 9RZ UNITED KINGDOM

Tel. 01298 26226 Fax. 01298 26540 email safety@selden.co.uk

# 1.4. Emergency telephone number

National emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

### **Classification**

Physical hazards

Not Classified

Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318

### Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC) C:R35.

### 2.2. Label elements

Pictogram



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

	S20
	P102 Keep out of reach of children.
	P264 Wash hands thoroughly after handling.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P315 Get immediate medical advice/attention.
	P405 Store locked up.
Contains	SODIUM HYDROXIDE, POTASSIUM HYDROXIDE

### 2.3. Other hazards

No other hazards known. This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

SODIUM HYDROXIDE		10-30%		
CAS number: 1310-73-2 EC number: 215-185-5				
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314	Classification (67/548/EEC or 1999/45/EC) C;R35			
POTASSIUM HYDROXIDE 5-10%   CAS number: 1310-58-3 EC number: 215-181-3		5-10%		
Classification	Classification (67/548/EEC or 1999/45/EC)			
Acute Tox. 4 - H302	C;R35 Xn;R22			
Skin Corr. 1A - H314				
The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.				

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### **General information**

Chemical burns must be dealt with immediately, do not delay. CAUTION! First Aid personnel must be aware of own risk of burns.

#### Inhalation

Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

#### Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

### Skin contact

Immediately remove contaminated clothing. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### Eye contact

Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

### S20

May cause an asthma-like shortness of breath. Severe irritation of nose and throat.

#### Ingestion

Causes chemical burns to mouth, throat and stomach.

### Skin contact

Chemical burns.

### Eye contact

Causes burns, likely to cause damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

### Hazardous combustion products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

#### 5.3. Advice for firefighters

### Protective actions during firefighting

Use special protective clothing. Regular protection may not be safe.

#### Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

For personal protection, see Section 8.

#### 6.2. Environmental precautions

### **Environmental precautions**

Any spillage needs to be contained and not allowed to enter water courses

### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Inform authorities if large amounts are involved.

### 6.4. Reference to other sections

#### Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Usage precautions

Avoid spilling. Avoid contact with skin and eyes. Personal protective equipment must be worn when handling this material.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Store away from the following materials: Acids.

### Storage class

Controlled substance storage.

#### 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### Usage description

See product label for detailed usage and instructions.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL Short-term exposure limit (15-minute): WEL 2 mg/m3

#### POTASSIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL Short-term exposure limit (15-minute): WEL 2 mg/m3

WEL = Workplace Exposure Limit

### Ingredient comments

WEL = Workplace Exposure Limits

### 8.2. Exposure controls

#### **Protective equipment**





#### Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

#### Hand protection

Use protective gloves. Rubber (natural, latex).

#### Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

#### Hygiene measures

### SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

### Appearance

Clear liquid. Liquid

### Colour

Brown.

### Odour

Odourless.

### pН

pH (concentrated solution): >13.0

# Relative density

1.360 - 1.380 @ @ 20°C

# 9.2. Other information

### S20

### Other information

None.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactions with the following materials may generate heat: Strong acids.

### 10.2. Chemical stability

### Stability

Stable at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Not applicable.

### 10.4. Conditions to avoid

Avoid contact with acids. Avoid contact with other chemicals.

#### 10.5. Incompatible materials

#### Materials to avoid

Strong acids. Reacts strongly with light metals such as aluminium and zinc, producing hydrogen which is Highly Flammable.

### 10.6. Hazardous decomposition products

Heating may generate the following products: Toxic and corrosive gases or vapours.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### **Toxicological effects**

No toxicological data is available for this mixture, however data can be provided for specific raw materials upon request.

### Acute toxicity - oral

ATE oral (mg/kg)

6,142.50614251

### Inhalation

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

#### Ingestion

Causes severe burns. Harmful if swallowed.

# Skin contact

Causes severe burns.

# Eye contact

Causes severe burns. Risk of serious damage to eyes.

# SECTION 12: Ecological Information

# Ecotoxicity

Not classed as Hazardous to the Environment but release to the environment should be avoided.

# 12.1. Toxicity

Aquatic toxicity has not been carried out on this product. Data for raw materials contained in this product, when available, can be provided when necessary.

# 12.2. Persistence and degradability

# Persistence and degradability

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004.

# 12.3. Bioaccumulative potential

S20			
The product does not contain a	any substances expected to be bioaccumulating.		
12.4. Mobility in soil			
Mobility			
	ces, which are water soluble and may spread in water systems.		
12.5. Results of PBT and vPvB	3 assessment		
This product does not contain	any substances classified as PBT or vPvB.		
12.6. Other adverse effects			
None known.			
SECTION 13: Disposal conside	erations		
13.1. Waste treatment methods	<u>s</u>		
Disposal methods			
Dispose of waste to licensed w	vaste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
SECTION 14: Transport inform	nation		
General	Derogation for Limited Quantities may be applicable to appropriate pack sizes, please check relevant modal legislation.		
<u>14.1. UN number</u>			
UN No. (ADR/RID)	1719		
UN No. (IMDG)	1719		
14.2. UN proper shipping name	<u>e</u>		
Proper shipping name (ADR/RID)	CAUSTIC ALKALI LIQUID,NOS (Sodium Hydroxide)		
Proper shipping name (IMDG)	CAUSTIC ALKALI LIQUID,NOS (Sodium Hydroxide)		
Proper shipping name (ICAO)	CAUSTIC ALKALI LIQUID,NOS (Sodium Hydroxide)		
Proper shipping name (ADN)	CAUSTIC ALKALI LIQUID,NOS (Sodium Hydroxide)		
14.3. Transport hazard class(e	<u>s)</u>		
Transport labels			
B			
14.4. Packing group			
ADR/RID packing group	II		
IMDG packing group	II		
ICAO packing group	II		
14.5. Environmental hazards			
14.6. Special precautions for user			
Tunnel restriction code	(E)		
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code			
Not applicable.			
SECTION 15: Regulatory information			
15.1 Safety health and environmental regulations/legislation specific for the substance or mixture			

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

S20

### National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### Guidance

Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131.

### 15.2. Chemical safety assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture.

SECTION 16: Other information		

### **General information**

The following risk phrases relate to the raw materials in the product and not the product itself:-

### **Revision comments**

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision date	15/12/2014
Revision	9
Risk phrases in full	
	R22 Harmful if swallowed.
	R35 Causes severe burns.
Hazard statements in full	
	H290 May be corrosive to metals.
	H302 Harmful if swallowed.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.